Contents:

Volume 119, Number 1, October 1992

1 **Identification of nuclear pre-replication centers poised for DNA synthesis in *Xenopus* egg extracts: Immunolocalization study of replication protein A.**
Y. Adachi and U. K. Laemmli

17 **Lamin activity is essential for nuclear envelope assembly in a *Drosophila* embryo cell-free extract.**
N. Ulitzur, A. Harel, N. Feinstein, and Y. Gruenbaum

27 **Use of transgenic mice to map *cis*-acting elements in the intestinal fatty acid binding protein gene (*Fabpi*) that control its cell lineage-specific and regional patterns of expression along the duodenal–colonic and crypt–villus axes of the gut epithelium.**
S. M. Cohn, T. C. Simon, K. A. Roth, E. H. Birkenmeier, and J. I. Gordon

45 **Enhanced synthesis of brain-derived neurotrophic factor in the lesioned peripheral nerve: Different mechanisms are responsible for the regulation of BDNF and NGF mRNA.**
M. Meyer, I. Matsuoka, C. Wetmore, L. Olson, and H. Thoenen

55 **Mutation of a putative sperm membrane protein in *Caenorhabditis elegans* prevents sperm differentiation but not its associated meiotic divisions.**
S. W. L'Hernault and P. M. Arduengo

69 **Membrane protein sorting in the yeast secretory pathway: Evidence that the vacuole may be the default compartment.**
C. J. Roberts, S. F. Nothwehr, and T. H. Stevens

85 **A non-autophagic pathway for diversion of ER secretory proteins to lysosomes.**
T. Noda and M. G. Farquhar

99 **Second messengers regulate endosomal acidification in Swiss 3T3 fibroblasts.**
K. Zen, J. Biwersi, N. Periasamy, and A. S. Verkman

111 **Apical endosomes isolated from kidney collecting duct principal cells lack subunits of the proton pumping ATPase.**
I. Sabolić, F. Wuarin, L.-B. Shi, A. S. Verkman, D. A. Ausiello, S. Gluck, and D. Brown

123 **Axonal and dendritic endocytic pathways in cultured neurons.**
R. G. Parton, K. Simons, and C. G. Dotti

139 **Resolution of regulated secretion into sequential MgATP-dependent and calcium-dependent stages mediated by distinct cytosolic proteins.**
J. C. Hay and T. F. J. Martin

153 **Isolation of peroxisome assembly mutants from *Saccharomyces cerevisiae* with different morphologies using a novel positive selection procedure.**
I. Van Der Leij, M. Van Den Berg, R. Boot, M. Franse, B. Distel, and H. F. Tabak

163 **Tissue distribution and subcellular localization of mammalian myosin I.**
M. C. Wagner, B. Barylko, and J. P. Albanesi

171 **γ-tubulin distribution in the neuron: Implications for the origins of neuritic microtubules.**
P. W. Baas and H. C. Joshi

179 **Inhibition of gap junction and adherens junction assembly by connexin and A-CAM antibodies.**
R. A. Meyer, D. W. Laird, J.-P. Revel, and R. G. Johnson

191 **Homophilic and heterophilic binding activities of Nr-CAM, a nervous system cell adhesion molecule.**
V. P. Mauro, L. A. Krushel, B. A. Cunningham, and G. M. Edelman

203 **Neuronal cell adhesion molecule contactin/F11 binds to tenascin via its immunoglobulin-like domains.**
A. H. Zisch, L. D'Alessandri, R. Falchetto, K. H. Winterhalter, B. Ranscht, and L. Vaughan

215 **Identification of an E-selectin region critical for carbohydrate recognition and cell adhesion.**
D. V. Erbe, B. A. Wolitzky, L. G. Presta, C. R. Norton, R. J. Ramos, D. K. Burns, J. M. Rumberger, B. N. N. Rao, C. Foxall, B. K. Brandley, and L. A. Lasky

229 **Soluble L-selectin is present in human plasma at high levels and retains functional activity.**
B. Schleiffenbaum, O. Spertini, and T. F. Tedder

239 **Activation-dependent changes in human platelet PECAM-1: Phosphorylation, cytoskeletal association, and surface membrane redistribution.**
P. J. Newman, C. A. Hillery, R. Albrecht, L. V. Parise, M. C. Berndt, A. V. Mazurov, L. C. Dunlop, J. Zhang, and S. E. Rittenhouse

Volume 119, Number 2, October 1992

249 **The cytoplasmic tail of the mannose 6-phosphate/insulin-like growth factor–II receptor has two signals for lysosomal enzyme sorting in the Golgi.**
K. F. Johnson and S. Kornfeld

259 **Effects of brefeldin A on endocytosis, transcytosis and transport to the Golgi complex in polarized MDCK cells.**
K. Prydz, S. H. Hansen, K. Sandvig, and B. van Deurs

273 **The morphology but not the function of endosomes and lysosomes is altered by brefeldin A.**
S. A. Wood and W. J. Brown

287 **Aminopeptidase I of *Saccharomyces cerevisiae* is localized to the vacuole independent of the secretory pathway.**
D. J. Klionsky, R. Cueva, and D. S. Yaver

301 **Autophagy in yeast demonstrated with proteinase-deficient mutants and conditions for its induction.**
K. Takeshige, M. Baba, S. Tsuboi, T. Noda, and Y. Ohsumi

313 **Immunocytochemical localization of α-protein kinase C in rat pancreatic β-cells during glucose-induced insulin secretion.**
S. Ganesan, R. Calle, K. Zawalich, K. Greenawalt, W. Zawalich, G. I. Shulman, and H. Rasmussen

325 **Structural changes and lateral redistribution of photosystem II during donor side photoinhibition of thylakoids.**
R. Barbato, G. Friso, F. Rigoni, F. D. Vecchia, and G. M. Giacometti

337 **The cytoskeleton and the cellular traffic of the progesterone receptor.**
M. Perrot-Applanat, P. Lescop, and E. Milgrom

349 **The EGF receptor is an actin-binding protein.**
J. C. den Hartigh, P. M. P. van Bergen en Henegouwen, A. J. Verkleij, and J. Boonstra

357 **The subcellular distribution of chromosome 6–encoded dystrophin-related protein in the brain.**
T. S. Khurana, S. C. Watkins, and L. M. Kunkel

367 **Comparison of actin and cell surface dynamics in motile fibroblasts.**
J. A. Theriot and T. J. Mitchison

379 **Astral microtubules are not required for anaphase B in *Saccharomyces cerevisiae*.**
D. S. Sullivan and T. C. Huffaker

389 **Kinesin is bound with high affinity to squid axon organelles that move to the plus-end of microtubules.**
B. J. Schnapp, T. S. Reese, and R. Bechtold

401 **The roles of K5 and K14 head, tail and R/K L L E G E domains in keratin filament assembly in vitro.**
A. K. Wilson, P. A. Coulombe, and E. Fuchs

415 **Lysine residues form an integral component of a novel NH_2-terminal membrane targeting motif for myristylated pp60$^{v\text{-}src}$.**
L. Silverman and M. D. Resh

427 **Suppression of tumorigenicity in transformed cells after transfection with vinculin cDNA.**
J. L. Rodríguez Fernández, B. Geiger, D. Salomon, I. Sabanay, M. Zöller, and A. Ben-Ze'ev

439 **Introduction of a gonadotropin receptor expression plasmid into immortalized granulosa cells leads to reconstitution of hormone-dependent steroidogenesis.**
B. S. Suh, R. Sprengel, I. Keren-Tal, S. Himmelhoch, and A. Amsterdam

451 **Glycosyl phosphatidylinositol–anchored T-cadherin mediates calcium-dependent, homophilic cell adhesion.**
D. J. Vestal and B. Ranscht

463 **Expression of tissue transglutaminase in Balb-c 3T3 fibroblasts: Effects on cellular morphology and adhesion.**
V. Gentile, V. Thomazy, M. Piacentini, L. Fesus, and P. J. A. Davies

475 **Isolation and characterization of an inhibitor of neovascularization from scapular chondrocytes.**
M. A. Moses, J. Sudhalter, and R. Langer

483 **Migrating endothelial cells are distinctly hyperglycosylated and express specific migration–associated cell surface glycoproteins.**
H. G. Augustin-Voss and B. U. Pauli

493 **Identification of programmed cell death in situ via specific labelling of nuclear DNA fragmentation.**
Y. Gavrieli, Y. Sherman, and S. A. Ben-Sasson

503 **Introns excised from the *Delta* primary transcript are localized near sites of *Delta* transcription.**
C. C. Kopczynski and M. A. T. Muskavitch

513 ***SED5* encodes a 39-kD integral membrane protein required for vesicular transport between the ER and the Golgi complex.**
K. G. Hardwick and H. R. B. Pelham

523 **Amino- and carboxy-terminal deletion mutants of Gsα are localized to the particulate fraction of transfected COS cells.**
Y.-S. Juhnn, T. L. Z. Jones, and A. M. Spiegel

531 **Class II MHC molecules are present in macrophage lysosomes and phagolysosomes that function in the phagocytic processing of listeria monocytogenes for presentation to T cells.**
C. V. Harding and H. J. Geuze

543 **Confocal laser microscopy of dystrophin localization in guinea pig skeletal muscle fibers.**
T. Masuda, N. Fujimaki, E. Ozawa, and H. Ishikawa

549 **Identification and characterization of two huge protein components of the brush border cytoskeleton: Evidence for a cellular isoform of titin.**
K. J. Eilertsen and T. C. S. Keller III

559 **Inhibition of actin filament depolymerization by the *Dictyostelium* 30,000-D actin–bundling protein.**
S. H. Zigmond, R. Furukawa, and M. Fechheimer

569 **Poleward kinetochore fiber movement occurs during both metaphase and anaphase-A in newt lung cell mitosis.**
T. J. Mitchison and E. D. Salmon

583 **Role of astral microtubules and actin in spindle orientation and migration in the budding yeast, *Saccharomyces cerevisiae*.**
R. E. Palmer, D. S. Sullivan, T. Huffaker, and D. Koshland

595 **Axonal transport of class II and III β-tubulin: Evidence that the slow component wave represents the movement of only a small fraction of the tubulin in mature motor axons.**
P. N. Hoffman, M. A. Lopata, D. F. Watson, and R. F. Luduena

605 **Myelin basic protein gene contains separate enhancers for oligodendrocytes and Schwann cell expression.**
A. Gow, V. L. Friedrich, Jr., and R. A. Lazzarini

617 **Intracellular localization of the P21^{rho} proteins.**
P. Adamson, H. F. Paterson, and A. Hall

629 **Hepatocyte growth factor is a potent angiogenic factor which stimulates endothelial cell motility and growth.**
F. Bussolino, M. F. Di Renzo, M. Ziche, E. Bocchietto, M. Olivero, L. Naldini, G. Gaudino, L. Tamagnone, A. Coffer, and P. M. Comoglio

643 **Hyaluronan-binding protein in endothelial cell morphogenesis.**
S. D. Banerjee and B. P. Toole

653 **Requirement for VLA-4 and VLA-5 integrins in lymphoma cells binding to and migration beneath stromal cells in culture.**
K. Miyake, Y. Hasunuma, H. Yagita, and M. Kimoto

663 **Characterization of multiple adhesive and counteradhesive domains in the extracellular matrix protein cytotactin.**
A. L. Prieto, C. Andersson-Fisone, and K. L. Crossin

679 **A truncated laminin chain homologous to the B2 chain: Structure, spatial expression and chromosomal assignment.**
P. Kallunki, K. Sainio, R. Eddy, M. Byers, T. Kallunki, H. Sariola, K. Beck, H. Hirvonen, T. B. Shows, and K. Tryggvason

695 **The dermal–epidermal junction of human skin contains a novel laminin variant.**
M. P. Marinkovich, G. P. Lunstrum, D. R. Keene, and R. E. Burgeson

705 **A new family of yeast nuclear pore complex proteins.**
S. R. Wente, M. P. Rout, and G. Blobel

725 **Pathway of incorporation of microinjected lamin A into the nuclear envelope.**
A. E. Goldman, R. D. Moir, M. Montag-Lowy, M. Stewart, and R. D. Goldman

737 **NOP3 is an essential yeast protein which is required for pre-rRNA processing.**
I. D. Russell and D. Tollervey

749 **GTP-binding mutants of Rab1 and Rab2 are potent inhibitors of vesicular transport from the endoplasmic reticulum to the Golgi complex.**
E. J. Tisdale, J. R. Bourne, R. Khosravi-Far, C. J. Der, and W. E. Balch

763 **Proteins containing an uncleaved signal for glycophosphatidylinositol membrane anchor attachment are retained in a post-ER compartment.**
P. Moran and I. W. Caras

773 **The *VPS1* protein, a homolog of dynamin required for vacuolar protein sorting in *Saccharomyces cerevisiae*, is a GTPase with two functionally separable domains.**
C. A. Vater, C. K. Raymond, K. Ekena, I. Howald-Stevenson, and T. H. Stevens

787 **Clathrin assembly protein AP-2 induces aggregation of membrane vesicles: A possible role for AP-2 in endosome formation.**
K. A. Beck, M. Chang, F. M. Brodsky, and J. H. Keen

797 **Ca^{2+} and pH determine the interaction of chromaffin cell scinderin with phosphatidylserine and phosphatidylinositol 4,5,-biphosphate and its cellular distribution during nicotinic-receptor stimulation and protein kinase C activation.**
A. R. Del Castillo, M. L. Vitale, and J.-M. Trifaró

811 **Localization of dystrophin gene transcripts during mouse embryogenesis.**
D. Houzelstein, G. E. Lyons, J. Chamberlain, and M. E. Buckingham

823 **An unconventional myosin heavy chain gene from *Drosophila melanogaster.***
K. A. Kellerman and K. G. Miller

835 **Evidence for functional homology in the F-actin binding domains of gelsolin and α-actinin: Implications for the requirements of severing and capping.**
M. Way, B. Pope, and A. G. Weeds

843 **A 62-kD protein required for mitotic progression is associated with the mitotic apparatus during M-phase and with the nucleus during interphase.**
J. A. Johnston and R. D. Sloboda

855 **Host cell factors controlling vimentin organization in the *Xenopus* oocyte.**
J. A. Dent, R. B. Cary, J. B. Bachant, A. Domingo, and M. W. Klymkowsky

867 **Newly assembled microtubules are concentrated in the proximal and distal regions of growing axons.**
A. Brown, T. Slaughter, and M. M. Black

883 **Calcium influx into neurons can solely account for cell contact–dependent neurite outgrowth stimulated by transfected L1.**
E. J. Williams, P. Doherty, G. Turner, R. A. Reid, J. J. Hemperly, and F. S. Walsh

893 **Tyrosine phosphorylation of paxillin and pp125^{FAK} accompanies cell adhesion to extracellular matrix: A role in cytoskeletal assembly.**
K. Burridge, C. E. Turner, and L. H. Romer

905 **Integrin-dependent phosphorylation and activation of the protein tyrosine kinase pp125^{FAK} in platelets.**
L. Lipfert, B. Haimovich, M. D. Schaller, B. S. Cobb, J. T. Parsons, and J. S. Brugge

913 **A point mutation of integrin β_1 subunit blocks binding of $\alpha_5\beta_1$ to fibronectin and invasin but not recruitment to adhesion plaques.**
Y. Takada, J. Ylänne, D. Mandelman, W. Puzon, and M. H. Ginsberg

923 **The alternatively spliced V region contributes to the differential incorporation of plasma and cellular fibronectins into fibrin clots.**
C. L. Wilson and J. E. Schwarzbauer

935 **Thrombin-induced expression of endothelial P-selectin and intercellular adhesion molecule-1: A mechanism for stabilizing neutrophil adhesion.**
Y. Sugama, C. Tiruppathi, K. Janakidevi, T. T. Andersen, J. W. Fenton II, and A. B. Malik

945 **Endothelial cells interact with the core protein of basement membrane perlecan through β1 and β3 integrins: An adhesion modulated by glycosaminoglycan.**
K. Hayashi, J. A. Madri, and P. D. Yurchenco

961 **Developmental changes in heparan sulfate expression: In situ detection with mAbs.**
G. David, X. M. Bai, B. Van Der Schueren, J.-J. Cassiman, and H. Van Den Berghe

977 **Laminin in the male germ cells of *Drosophila*.**
F. Wang, M. Hanske, K. Miedema, G. Klein, P. Ekblom, and W. Hennig

989 **Thyroid hormone, insulin, and glucocorticoids are sufficient to support chondrocyte differentiation to hypertrophy: A serum-free analysis.**
R. Quarto, G. Campanile, R. Cancedda, and B. Dozin

997 **The breast cancer–associated stromelysin-3 gene is expressed during mouse mammary gland apoptosis.**
O. Lefebvre, C. Wolf, J.-M. Limacher, P. Hutin, C. Wendling, M. LeMeur, P. Basset, and M.-C. Rio

1003 **Osteoclasts express high levels of pp60$^{c\text{-}src}$ in association with intracellular membranes.**
W. C. Horne, L. Neff, D. Chatterjee, A. Lomri, J. B. Levy, and R. Baron

---

Volume 119, Number 5, December 1992

Mini Review

1017 **Transforming growth factor-β: Recent progress and new challenges.**
M. B. Sporn and A. B. Roberts

Regular Articles

1023 **Functional dissection of the phosphorylated termini of fission yeast DNA topoisomerase II.**
K. Shiozaki and M. Yanagida

1037 **Assembly and localization of the U1-specific snRNP C protein in the amphibian oocyte.**
M. F. Jantsch and J. G. Gall

1047 **Antibodies against 70-kD heat shock cognate protein inhibit mediated nuclear import of karyophilic proteins.**
N. Imamoto, Y. Matsuoka, T. Kurihara, K. Kohno, M. Miyagi, F. Sakiyama, Y. Okada, S. Tsunasawa, and Y. Yoneda

1063 **Restricted distribution of mRNA produced from a single nucleus in hybrid myotubes.**
E. Ralston and Z. W. Hall

1069 **Long-term sensitization training in *Aplysia* leads to an increase in the expression of BiP, the major protein chaperon of the ER.**
D. Kuhl, T. E. Kennedy, A. Barzilai, and E. R. Kandel

1077 **Multiple GTP-binding proteins regulate vesicular transport from the ER to Golgi membranes.**
R. Schwaninger, H. Plutner, G. M. Bokoch, and W. E. Balch

1097 **Morphological analysis of protein transport from the ER to Golgi membranes in digitonin-permeabilized cells: Role of the P58 containing compartment.**
H. Plutner, H. W. Davidson, J. Saraste, and W. E. Balch

1117 **Evidence for a novel route of wheat storage proteins to vacuoles.**
H. Levanony, R. Rubin, Y. Altschuler, and G. Galili

1129 **Glycosome assembly in trypanosomes: Variations in the acceptable degeneracy of a COOH-terminal microbody targeting signal.**
J. Blattner, B. Swinkels, H. Dörsam, T. Prospero, S. Subramani, and C. Clayton

1137 **Overexpression of human α-galactosidase A results in its intracellular aggregation, crystallization in lysosomes, and selective secretion.**
Y. A. Ioannou, D. F. Bishop, and R. J. Desnick

1151 **Effects of null mutations and overexpression of capping protein on morphogenesis, actin distribution and polarized secretion in yeast.**
J. F. Amatruda, D. J. Gattermeir, T. S. Karpova, and J. A. Cooper

1163 **Cytosol- and clathrin-dependent stimulation of endocytosis in vitro by purified adaptors.**
E. Smythe, L. L. Carter, and S. L. Schmid

1173 **5′ nucleotidase is sorted to the apical domain of hepatocytes via an indirect route.**
M. J. Schell, M. Maurice, B. Stieger, and A. L. Hubbard

1183 **Direct visualization of the dystrophin network on skeletal muscle fiber membrane.**
V. Straub, R. E. Bittner, J. J. Léger, and T. Voit

1193 **Differential localization of *Acanthamoeba* myosin I isoforms.**
I. C. Baines, H. Brzeska, and E. D. Korn

1205 **Maternal effect mutations of the *sponge* locus affect actin cytoskeletal rearrangements in *Drosophila melanogaster* embryos.**
M. A. Postner, K. G. Miller, and E. F. Wieschaus

1219 **Nerve growth cone lamellipodia contain two populations of actin filaments that differ in organization and polarity.**
A. K. Lewis and P. C. Bridgman

1245 **Poly(A) RNA codistribution with microfilaments: Evaluation by in situ hybridization and quantitative digital imaging microscopy.**
K. L. Taneja, L. M. Lifshitz, F. S. Fay, and R. H. Singer

1261 **Thymosin β4 sequesters the majority of G-actin in resting human polymorphonuclear leukocytes.**
L. Cassimeris, D. Safer, V. T. Nachmias, and S. H. Zigmond

1271 **Okadaic acid induces interphase to mitotic-like microtubule dynamic instability by inactivating rescue.**
N. R. Gliksman, S. F. Parsons, and E. D. Salmon

1277 **Physiological evidence for involvement of a kinesin-related protein during anaphase spindle elongation in diatom central spindles.**
C. J. Hogan, L. Stephens, T. Shimizu, and W. Z. Cande

1287 **Kinesin family in murine central nervous system.**
H. Aizawa, Y. Sekine, R. Takemura, Z. Zhang, M. Nangaku, and N. Hirokawa

1297 **Activation of the α subunit of G_s in intact cells alters its abundance, rate of degradation, and membrane avidity.**
M. J. Levis and H. R. Bourne

1309 **Tyrosine phosphorylation of membrane proteins mediates cellular invasion by transformed cells.**
S. C. Mueller, Y. Yeh, and W.-T. Chen

1327 **Apoptosis in metanephric development.**
C. Koseki, D. Herzlinger, and Q. Al-Awqati

1335 **$\alpha_1\beta_1$ integrin on neural crest cells recognizes some laminin substrata in a Ca^{2+}-independent manner.**
T. Lallier and M. Bronner-Fraser

1347 **Dynamics of β_1 integrin-mediated adhesive contacts in motile fibroblasts.**
C. M. Regen and A. F. Horwitz

1361 **Minimal DNA sequences that control the cell lineage-specific expression of the proα2(I) collagen promoter in transgenic mice.**
K. Niederreither, R. N. D'Souza, and B. de Crombrugghe

1371 **Identification of a transitional cell state in the developmental pathway to carrot somatic embryogenesis.**
R. I. Pennell, L. Janniche, G. N. Scofield, H. Booij, S. C. de Vries, and K. Roberts

---

Volume 119, Number 6, December 1992

Mini-Reviews

1387 **Regulation of axonal growth in the vertebrate nervous system by interactions between glycoproteins belonging to two subgroups of the immunoglobulin superfamily.**
P. Sonderegger and F. G. Rathjen

1395 **The exocytotic fusion pore.**
J. R. Monck and J. M. Fernandez

Regular Articles

1405 **Expression of c-*fos* and AP-1 activity in senescent human fibroblasts is not sufficient for DNA synthesis.**
D. W. Rose, G. McCabe, J. R. Feramisco, and M. Adler

1413 **A human centromere protein, CENP-B, has a DNA binding domain containing four potential α-helices at the NH_2 terminus, which is separable from dimerizing activity.**
K. Yoda, K. Kitagawa, H. Masumoto, Y. Muro, and T. Okazaki

1429 **High resolution scanning electron microscopy of the nuclear envelope: Demonstration of a new, regular, fibrous lattice attached to the baskets of the nucleoplasmic face of the nuclear pores.**
M. W. Goldberg and T. D. Allen

1441 **The single transmembrane segment of gp210 is sufficient for sorting to the pore membrane domain of the nuclear envelope.**
R. W. Wozniak and G. Blobel

1451 **A signal-anchor sequence selective for the mitochondrial outer membrane.**
H. M. McBride, D. G. Millar, J.-M. Li, and G. C. Shore

1459 **Yeast Kex1p is a Golgi-associated membrane protein: Deletions in a cytoplasmic targeting domain result in mislocalization to the vacuolar membrane.**
A. Cooper and H. Bussey

1469 **In vitro reactions of vacuole inheritance in *Saccharomyces cerevisiae*.**
B. Conradt, J. Shaw, T. Vida, S. Emr, and W. Wickner

1481 **Trafficking of malarial proteins to the host cell cytoplasm and erythrocyte surface membrane involves multiple pathways.**
J. A. Gormley, R. J. Howard, and T. F. Taraschi

1497 **Primary structure of an apical protein from *Xenopus laevis* that participates in amiloride-sensitive sodium channel activity.**
O. Staub, F. Verrey, T. R. Kleyman, D. J. Benos, B. C. Rossier, and J.-P. Kraehenbuhl

1507 **Localization of inositol 1,4,5-trisphosphate receptor-like protein in plasmalemmal caveolae.**
T. Fujimoto, S. Nakade, A. Miyawaki, K. Mikoshiba, and K. Ogawa

1515 **Protein kinase C activation antagonizes melatonin-induced pigment aggregation in *Xenopus laevis* melanophores.**
D. Sugden and S. J. Rowe

1523 **Myosin light chain-2 mutation affects flight, wing beat frequency, and indirect flight muscle contraction kinetics in *Drosophila*.**
J. Warmke, M. Yamakawa, J. Molloy, S. Falkenthal, and D. Maughan

1541 **Primary structure and cellular localization of chicken brain myosin-V (p190), an unconventional myosin with calmodulin light chains.**
E. M. Espreafico, R. E. Cheney, M. Matteoli, A. A. C. Nascimento, P. V. De Camilli, R. E. Larson, and M. S. Mooseker

1559 **Spectrin redistributes to the cytosol and is phosphorylated during mitosis in cultured cells.**
V. M. Fowler and E. J. H. Adam

1573 **Zyxin and cCRP: Two interactive LIM domain proteins associated with the cytoskeleton.**
I. Sadler, A. W. Crawford, J. W. Michelsen, and M. C. Beckerle

1589 **Directional instability of microtubule transport in the presence of kinesin and dynein, two opposite polarity motor proteins.**
R. D. Vale, F. Malik, and D. Brown

1597 **Dynein from *Dictyostelium*: Primary structure comparisons between a cytoplasmic motor enzyme and flagellar dynein.**
M. P. Koonce, P. M. Grissom, and J. R. McIntosh

1605 **Polarity of flagellar assembly in *Chlamydomonas*.**
K. A. Johnson and J. L. Rosenbaum

1613 **Mutational analysis of centrin: An EF-hand protein associated with three distinct contractile fibers in the basal body apparatus of *Chlamydomonas*.**
B. E. Taillon, S. A. Adler, J. P. Suhan, and J. W. Jarvik

1625 **Mutations in yeast calmodulin cause defects in spindle pole body functions and nuclear integrity.**
G.-H. Sun, A. Hirata, Y. Ohya, and Y. Anraku

1641 **Phorbol esters alter cell fate during development of sea urchin embryos.**
B. T. Livingston and F. H. Wilt

1649 **Mapping of *myogenin* transcription during embryogenesis using transgenes linked to the *myogenin* control region.**
T.-C. Cheng, T. A. Hanley, J. Mudd, J. P. Merlie, and E. N. Olson

1657 **Cell surface acetylcholinesterase molecules on multinucleated myotubes are clustered over the nucleus of origin.**
S. G. Rossi and R. L. Rotundo

1669 **Nerve growth factor withdrawal-induced cell death in neuronal PC12 cells resembles that in sympathetic neurons.**
P. W. Mesner, T. R. Winters, and S. H. Green

1681 **Bilateral retinal and brain tumors in transgenic mice expressing Simian Virus 40 large T antigen under control of the human interphotoreceptor retinoid-binding protein promoter.**
M. R. Al-Ubaidi, R. L. Font, A. B. Quiambao, M. J. Keener, G. I. Liou, P. A. Overbeek, and W. Baehr

1689 **Restricted tissue distribution of a 37-kD possible adherens junction protein.**
M. L. Chiu, J. C. R. Jones, and E. J. O'Keefe

1701 **A23187-induced translocation of 5-lipoxygenase in osteosarcoma cells.**
S. Kargman, P. J. Vickers, and J. F. Evans

1711 **Molecular isoforms of murine CD44 and evidence that the membrane proximal domain is not critical for hyaluronate recognition.**
Q. He, J. Lesley, R. Hyman, K. Ishihara, and P. W. Kincade

1721 **Recombinant human bone morphogenetic protein 2B stimulates PC12 cell differentiation: Potentiation and binding to type IV collagen.**
V. M. Paralkar, B. S. Weeks, Y. M. Yu, H. K. Kleinman, and A. H. Reddi

1729 **AUTHOR INDEX FOR VOLUMES 116–119**

1755 **SUBJECT INDEX FOR VOLUMES 116–119**

1773 **ACKNOWLEDGMENT**